



# GATES PETROL DISPENSING HOSES



**Built to Perform**



# PETROL DISPENSING HOSE

MEETS & EXCEEDS IS : 2396 AND PERFORMANCE REQUIREMENTS OF BS EN 1360 TYPE 1

Nominal I.D.		Mean O.D.		Working Pressure			Min. Burst Pressure		
mm	Inch	mm	Inch	Kg/cm <sup>2</sup>	MPa	PSI	Kg/cm <sup>2</sup>	MPa	PSI
19.0	3/4	32.0	1.27	7.0	0.7	100	28.0	3.0	400
25.0	1	38.0	1.50	7.0	0.7	100	28.0	3.0	400

**Service Temperature Range :** -40°C to +49°C

**Construction :**

**Tube :** Black. Specially compounded Nitrile Rubber. Resistant to high Aromatic Gasoline.

**Cover :** Black. Modified Nitrile.

**Reinforcement :** Two Braids of High Tenacity Synthetic Yarn. Twin Copper wires ensure reliable conductivity.

**Recommended for :** Dispensing all types of Petrol & Diesel fuels for Service Station Pumps.

**Electrical conductivity :** Having two nos. braided copper flex wires laid spirally in opposite direction for electrical conductivity.



# BLACKSNAKE GASOLINE HOSE

MEETS PERFORMANCE REQUIREMENTS OF BS EN 1360 TYPE 3

Nominal I.D.		Mean O.D.		Working Pressure			Min. Burst Pressure		
mm	Inch	mm	Inch	Kg/cm <sup>2</sup>	MPa	PSI	Kg/cm <sup>2</sup>	MPa	PSI
16.0	5/8	25.4	1.00	10.0	1.0	150	51.7	5.17	750
19.0	3/4	28.7	1.13	10.0	1.0	150	51.7	5.17	750
25.4	1	35.0	1.37	10.0	1.0	150	51.7	5.17	750

**Service Temperature Range :** -40°C to +49°C

## Construction :

**Tube :** Black. Specially compounded Nitrile Rubber. Resistant to high Aromatic Gasoline.

**Cover :** Black. Modified Nitrile.

**Reinforcement :** Braided High Tensile Steel Wire.


**Recommended for :** Dispensing all types of Petrol & Diesel fuels for Service Station Pumps. A heavy duty hardwall hose which does not collapse in reel use or behind the nozzle in heavy duty service.



- Low Volume Expansion
- Electrical Conductivity
- Abrasion Resistant
- Light Weight for Handling & Operational Ease
- Heavy Duty
- Kink Proof
- Ozone Resistant
- Weather Proof

Recommended for Dispensing all types of commercial gasolines, or other petroleum based products, from service station pumps. A heavy duty hose which does not collapse in reel use or behind the nozzle in heavy duty service.

Authorised Dealer



**The World's Most Trusted Name in Hose and Hydraulics**



A Tomkins Company

**Gates India Private Limited**

Ambala-Chandigarh Highway, Lalru - 140 501 (Punjab)

Tel : 01762-274050-53 Fax : 01762-274151-52 e-mail : gatesind@satyam.net.in  
website : www.gatesind.com

Customer Care

Tel : 01762-274297, 274390

**Sales & Service**

	Ahmedabad	Chennai	Hyderabad	Kolkata	Mumbai	New Delhi
Mobile	98250-73098	98400-68344	98480-38723	98300-18794	98210-43574	98110-06873
Tele-fax	079-6872470	044-24672192	040-27222986	033-23359865	022-55980388	011-51601553